

SUBWAY LAB
by WOW

light in motion

light in motion






Simplicity is the ultimate form
of sophistication.

La simplicidad es la forma máxima
de sofisticación.

Leonardo da Vinci





Perfection is not a small thing,
but is made of small things.

La perfección no es cosa pequeña,
pero está hecha de pequeñas cosas.

Miguel Ángel



Subway Lab

by WOW

1 2



SUBWAY LAB

by WOW

1 Line One

Colours Line One

- G1
- G2
- G3
- G4
- G5
- G6
- G7
- M1
- M2
- M3
- M4
- M5



- G1. Ice White Gloss
G2. Natural Gloss
G3. Cotton Gloss
G4. Earth Gloss
G5. Pearl Gloss
G6. Ash Grey Gloss
G7. Graphite Gloss
M1. Ice White Matt
M2. Natural Matt
M3. Earth Matt
M4. Ash Grey Matt
M5. Graphite Matt

*Delta M: Only available in Matt/ Solamente disponible en Mate

1 Line One

Shapes Line One



Liso M
3"x6" / 7,5x15 cm



Canale M
3"x6" / 7,5x15 cm
*8 different pieces randomly mixed



Peak
3"x6" / 7,5x15 cm
*8 different pieces randomly mixed



Delta M
3"x6" / 7,5x15 cm



Edge M
0,3"x6" / 0,8x15 cm



Edge Corner
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

Subway Lab
by WOW

C Canale M

Inspiration Line One

Colours

M1

M1. Ice White Matt



Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

D Delta M

Inspiration Line One

Subway Lab
by WOW

P L E Peak + Liso M + Edge M

Inspiration Line One

Colours

M1

G3

M1. Ice White Matt
G3. Cotton Gloss

Subway Lab
by WOW

L Liso M

Inspiration Line One

Colours

M1

M1. Ice White Matt



2 Line Two

Colours Line Two

G1

G2

G3

G4

G5

G6

G7

M1

M2

M3

M4

M5

G1. Ice White Gloss
G2. Natural Gloss
G3. Cotton Gloss
G4. Earth Gloss
G5. Pearl Gloss
G6. Ash Grey Gloss
G7. Graphite Gloss
M1. Ice White Matt
M2. Natural Matt
M3. Earth Matt
M4. Ash Grey Matt
M5. Graphite Matt

*Arch XL + Delta XL: Only available in Matt/ Solamente disponible en Mate

L2

Liso XL

Dome

New Bevel

Edge Corner

Edge XL

Delta XL *

Arch XL *

2 Line Two

Shapes Line Two

Liso XL

3"x12" / 7,5x30 cm

Dome

3"x12" / 7,5x30 cm

New Bevel

3"x12" / 7,5x30 cm

Delta XL

3"x12" / 7,5x30 cm

Arch XL

3"x12" / 7,5x30 cm

Edge XL

0,3"x12" / 0,8x30 cm

Edge Corner

0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

Subway Lab
by WOW

L E Liso XL + Edge XL

Inspiration Line Two

Colours

G7

G7. Graphite Gloss



Subway Lab
by WOW

A Arch XL + Edge XL

Inspiration Line Two



Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

D Dome

Inspiration Line Two

Colours

M1

M1. Ice White Matt

Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

B E New Bevel + Edge XL

Inspiration Line Two

Colours

M1

G6

M1. Ice White Matt
G6. Ash Grey Gloss

Subway Lab
by WOW

D L Delta XL + Liso XL

Inspiration Line Two



Layout Solutions/ Ideas de Colocación

Subway Lab
by WOW

1

2

Colours

M5

M5. Graphite Matt

Subway Lab
by WOW

A L E

Arch XL + Liso XL + Edge XL

Inspiration Line Two

Colours

M5

M1

M5. Graphite Matt
M1. Ice White Matt



Subway Lab
by WOW

B L New Bevel + Liso XL

Inspiration Line Two

Colours

G7

G1

G7. Graphite Gloss
G1. Ice White Gloss

Subway Lab
by WOW

D L Dome + Liso XL

Inspiration Line Two



Colours

G1

G7

G1. Ice White Gloss

G7. Graphite Gloss

Subway Lab
by WOW

B L New Bevel + Liso XL

Inspiration Line Two

Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

D D Delta XL + Delta M

Inspiration Line One + Line Two

Subway Lab
by WOW

L C Liso M + Canale M

Inspiration Line One

Colours

M1


M5

M1. Ice White Matt
M5. Graphite Matt




1 2 Line One + Line Two


Layout Solutions / Ideas de colocación




Layout solution n° 1




Layout solution n° 2




Layout solution n° 3




Layout solution n° 4




Layout solution n° 5




Layout solution n° 6




Layout solution n° 7




Layout solution n° 8




Layout solution n° 9




Layout solution n° 10



Layout solution n° 11




Layout solution n° 12




Layout solution n° 13

1 Line One

Technical Drawings Line One



Technical Drawings Line Two





Technical Features/ Información Técnica

Line One + Two

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (E_b >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII(E_b >10%)

FEATURES/ CARACTERÍSTICAS		SPECIFICATION/ ESPECIFICACIÓN	NORMA
	Dimensional Features.	74.0 +/- 0.6 x 149.5 +/-0.6 mm 74.0 +/- 0.6 x 300.0 +/- 0.6 mm	UNE-EN ISO 10545-2:1998
	Water absorption.	E _b > 10%	UNE-EN ISO 10545-3:1997
	Modulus of rupture and breaking strength.	Thickness ≥ 7,5 mm Mínimo 600 N Thickness ≥ 7,5 mm Mínimo 12 N/mm2	UNE-EN ISO 10545-4:2012
	Crazing resistance.	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance.	GA	UNE-EN ISO 10545-13:1998
	Chemical resistance.	GLA	UNE-EN ISO 10545-13:1998
	Stain resistance.	Class 5	UNE-EN ISO 10545-14:1998



Recommendations

Line One + Two

BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level.

It is recommended that the layout of the product is prepared before the final installation.

Make sure you choose an adhesive apt for the area where the product is being installed.

For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

Also recommended as grouting mortar: Kerakoll Fugabella® Eco Porcelana 0-5 and for the areas susceptible to stains such as the backsplash: Kerakoll Fugalite® Eco.

TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum WOW effect, use 1 mm (0 3/64 in) spacers between the tiles to maintain an even installation over the whole surface.

The colour of the grout should be as close as possible to the colour of your product.

Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

To enhance the light and shadow effect of WOW, adequate vertical lighting over the product should be installed (ideally, above the highest point of the installation)

MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.

Avoid abrasive or acidic cleaning products.



Recomendaciones

Line One + Two

ANTES DE LA COLOCACIÓN

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada.

Se recomienda plantear la colocación, previo a su instalación.

Elegir el material de agarre en función de las características de la superficie.

Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Se recomienda el tipo de mortero de rejuntado en función de la zona de colocación. Colocación general: Kerakoll fugabella® Eco porcelana 0-5 y para las zonas más susceptibles a manchas como pueda ser la cocina: Kerakoll Fugalite® Eco.

PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW

Se recomiendan separadores de 1mm. para colocar las piezas y conseguir de esta forma un aspecto WOW optimo.

También se aconseja el color de rejuntado similar al color del producto elegido.

Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

Para potenciar el pronunciado efecto de luz y sombra sobre cada pieza, es de vital importancia colocar luz cenital, situada verticalmente sobre el producto.

MANTENIMIENTO

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos.

ENCAJADO/ PACKING

					
Modelo/ Model	Tamaño/ Size (cm)	Piezas/Caja Pieces/Box	kg/Caja kg/ Box	m²/Caja sqm/ Box	cajas/Palet Boxes/ Pallet
Liso M	7,5x15	46	7,24 kg	0,52 m²	132
Canale M	7,5x15	42	7,57 kg	0,47 m²	132
Peak	7,5x15	32	5,72 kg	0,36 m²	132
Delta M	7,5x15	32	6,47 kg	0,36 m²	132
Liso XL	7,5x30	23	7,32 kg	0,52 m²	132
Dome	7,5x30	14	5,26 kg	0,32 m²	132
Arch XL	7,5X30	12	5,42 kg	0,27 m²	132
Delta XL	7,5x30	16	6,22 kg	0,36 m²	132
New Bevel	7,5x30	16	5,77 kg	0,36 m²	132
Edge M	0,8x15	10	0,16 kg	1,50 m	-
Edge XL	0,8x30	10	0,31 kg	3,00 m	-
Edge Corner	0,8x0,8x0,8	-	-	-	-

PACKING

					
Model	Size (in)	Pieces/Box	Lbs/ Box	sq ft/ Box	Box/ Pallet
Liso M	3"x6"	46	15,96 lb	5,60 sq ft	132
Canale M	3"x6"	42	16,68 lb	5,06 sq ft	132
Peak	3"x6"	32	12,61 lb	3,88 sq ft	132
Delta M	3"x6"	32	14,26 lb	3,88 sq ft	132
Liso XL	3"x12"	23	16,13 lb	5,60 sq ft	132
Dome	3"x12"	14	11,59 lb	3,44 sq ft	132
Arch XL	3"x12"	12	11,95 lb	2,91 sq ft	132
Delta XL	3"x12"	16	13,71 lb	3,88 sq ft	132
New Bevel	3"x12"	16	12,72 lb	3,88 sq ft	132
Edge M	0,3"x6"	10	0,35 lb	4,92 ft	-
Edge XL	0,3"x12"	10	0,68 lb	9,84 ft	-
Edge corner	0,3"x0,3"x0,3"	-	-	-	-



©2014 Tendencias Cerámicas
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2014 Tendencias Cerámicas
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.





wowdesigneu.com

WOW headquarters SPAIN
Polígono Pont Avda. de España, 114.
12180 Cabanes (Castellón) España
Phone: (+34) 964 331 910
Fax: (+34) 964 331 911
info@wowdesigneu.com
wowdesigneu.com

WOW USA, INC.
14887 Persistence Dr.
Woodbridge, VA 22191
Phone: (+1) 703 910 6162
Fax: (+1) 703 910 7486
wowusa@wowdesigneu.com

light in motion

WOW