



"una nuova
idea di
pensare la
ceramica"

"a new
idea to
think
about
porcelain
tiles"



ORNAMENTA®

industry 2.0

ORNAMENTA®

Paisley

40x80cm - 16"x32"

Contemporary wallpapers

Il Paisley è un disegno ottenuto utilizzando il boteh o buta, un motivo vegetale a forma di goccia di origine persiana, divenuto popolare in Occidente nel XVIII secolo, a seguito dell'importazione di tali modelli dall'India Britannica, in particolare sottoforma di scialli del Kashmir. Il suo intramontabile fascino evergreen rivive qui ceramicamente in abbinamento ai sette colori della nostra gamma BASICS, colori tenui e tono su tono in formato 40x80 per costruire wallpaper contemporanei senza soluzione di continuità.

Paisley is a term in English for a design using the boteh or buta, a droplet-shaped vegetable motif of Persian origin. Such designs became very popular in the West in the 18th and 19th centuries, following imports of post-Mughal versions of the design from India, especially in the form of Kashmir shawls, and were then imitated locally (cit. Wikipedia)

Here, we have "ceramically" developed its evergreen appeal on the 7 colors of our BASICS program.

Soft and tenuous colours in size 40x80 that design contemporary wallpaper effects.



40x80cm - 16"x32"



PA4080I
IVORY 40x80
3 pcs/box



PA4080P
PEARL 40x80
3 pcs/box



PA4080T
TAUPE 40x80
3 pcs/box



PA4080A
ASHGREY 40x80
3 pcs/box



PA4080G
GREY 40x80
3 pcs/box



PA4080W
WHITE 40x80
3 pcs/box



PA4080B
BLACK 40x80
3 pcs/box




white



40x80cm -
16"x32"




PA4080IP
IVORY PLAIN 40x80
3 pcs/box



PA4080PP
PEARL PLAIN 40x80
3 pcs/box




PA4080TP
TAUPE PLAIN 40x80
3 pcs/box



PA4080AP
ASHGREY PLAIN 40x80
3 pcs/box



PA4080GP
GREY PLAIN 40x80
3 pcs/box



PA4080WP
WHITE PLAIN 40x80
3 pcs/box



PA4080BP
BLACK PLAIN 40x80
3 pcs/box

7 colori tono su tono
con texture effetto
tessuto.

7 colours tone on tone
with textile pattern.






pearl



ivory




taupe






ashgrey





grey






Suggerimenti di posa/
Matching suggestions




IVORY



PEARL




GREY



BLACK




TAUPE



ASHGREY



WHITE



formati/formats




40x80 - 16"x32"

spessore/*thickness*



V1 LOW



Prodotto monocromatico
The least amount of shade and texture variation. Attainable in naturally fired clay products.



SIGILLANTE COORDINATO
MATCHING GROUT



100 Bianco - *White*



120 Nero - *Black*




290 Crema - *Cream*



103 Bianco Luna - *Moon White*



133 Sabbia - *Sand*



136 Fango - *Mud*



114 Antracite - *Anthracite*

Si consiglia di posare il prodotto utilizzando un distanziale da 2 mm.

We suggest to lay the product by using a spacer of 2 mm.

pesi e imballi - *packaging and weight*

descrizione/description		scatole/boxes			palette/pallets		
code	colori/colours	pcs/box	sqm/box	kg/box	box/pal	sqm/pal	kg/pal
PA4080WP	WHITE PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080W	WHITE 40x80	3	0,96	22,08	30	28,80	683,4
PA4080IP	IVORY PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080I	IVORY 40x80	3	0,96	22,08	30	28,80	683,4
PA4080PP	PEARL PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080P	PEARL 40x80	3	0,96	22,08	30	28,80	683,4
PA4080TP	TAUPE PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080T	TAUPE 40x80	3	0,96	22,08	30	28,80	683,4
PA4080AP	ASHGREY PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080A	ASHGREY 40x80	3	0,96	22,08	30	28,80	683,4
PA4080GP	GREY PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080G	GREY 40x80	3	0,96	22,08	30	28,80	683,4
PA4080BP	BLACK PLAIN 40x80	3	0,96	22,08	30	28,80	683,4
PA4080B	BLACK 40x80	3	0,96	22,08	30	28,80	683,4

dati tecnici/*technical features*

	assorbimento d'acqua % <i>water absorption %</i>	≤ 0,5 %	ISO 10545.3
	resistenza alla flessione <i>bending strength</i>	45 N/mm2	ISO 10545.4
	resistenza all'abrasione <i>resistance to abrasion</i>	PEI IV	ISO 10545.7
	resistenza agli sbalzi termici <i>thermal shock resistance</i>	resistente <i>resistant</i>	ISO 10545.9
	resistenza al cavillo <i>crazing resistance</i>	garantita <i>guaranteed</i>	ISO 10545.11
	resistenza agli attacchi chimici <i>resistance to chemicals</i>	conforme <i>conformable</i>	ISO 10545.13
	resistenza al gelo <i>frost resistance</i>	resistente <i>resistant</i>	ISO 10545.12
	resistenza alle macchie <i>resistance to stains</i>	classe V	ISO 10545.14
	coefficiente d'attrito <i>static coefficient of friction</i>	R9 A DRY = 0,55 WET = 0,60	DIN 51130 DIN 51097 ASTM C1028

gres fine porcellanato smaltato e rettificato/*fine glazed and rectified porcelain gres*

CERTIFICAZIONI/*CERTIFICATIONS*

AZIENDA CERTIFICATA IN QUALITÀ, AMBIENTE E SICUREZZA



Marchio CE



放射性水平 A 类

Marchio CCC

IMPIEGHI/*USES*



abitazioni
housing



alberghi
hotels



bar-ristoranti
pub-restaurants



centri commerciali
malls



locali pubblici
public spaces



negozi
shops



stazioni
train stations



aeroporti
airports

ornamenta.com

ORNAMENTA®

ORNAMENTA®

via Mosca 1,
41049 - Sassuolo (MO)
Italy, P.iva 00831670369,
T. +39 0536 867411,
F. +39 0536803937
info@ornamenta.com

COLOPHON/COLOPHON

Art Direction Davide Tonelli

Text Davide Tonelli

Graphic Enrica Monari <http://www.ornamenta.com>

Print La Pieve Poligrafica Editore (RN) | IT

Date *October 2015*